


**Jonsered**



---

**Cutting Equipment, 2003-09**

Not available as printed IPL

# **Cutting Equipment**

## **Guide Bars and Chains**

---


# CS 2115 EL

# CS 2118 EL



Bar Mounting: small SMS (095)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
14 in. / 35 cm	3/8"	.050 / 1,3	52	501 85 53-52	504 57 44-52	S36/91VG
16 in. / 40 cm	3/8"	.050 / 1,3	56	501 85 53-56	504 57 44-56	S36/91VG



S36/91VG




5/32" / 4,0



-



505 69 81-14



505 69 81-03

# CS 2120 EL



Bar Mounting: small SMS (095)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
14 in. / 35 cm	3/8"	.050 / 1,3	52	501 85 53-52	504 57 44-52	S36/91VG
16 in. / 40 cm	3/8"	.050 / 1,3	56	501 85 53-56	504 57 44-56	S36/91VG



S36/91VG



5/32" / 4,0



-



505 69 81-14



505 69 81-03

# CS 2033 T



Bar Mounting: small SMS (095)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
12 in. / 30 cm	3/8"	.050 / 1,3	45	501 92 29-45	504 57 44-45	S36/91VG
14 in. / 35 cm	3/8"	.050 / 1,3	52	501 92 29-52	504 57 44-52	S36/91VG



S36/91VG




5/32" / 4,0



-



505 69 81-14



505 69 81-03

# CS 2035 CS 2037



Bar Mounting: small SMS (095)

Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
12 in. / 30 cm	3/8"	.050 / 1,3	45	501 92 29-45	504 57 44-45	S36/91VG
14 in. / 35 cm	3/8"	.050 / 1,3	52	501 92 29-52	504 57 44-52	S36/91VG
14 in. / 35 cm	3/8"	.050 / 1,3	52	501 85 53-52	504 57 44-52	S36/91VG
16 in. / 40 cm	3/8"	.050 / 1,3	56	501 85 53-56	504 57 44-56	S36/91VG



S36/91VG




5/32" / 4,0



-



505 69 81-14



505 69 81-03

# CS 2036

# CS 2040



## Bar Mounting: small SMS (095)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
14 in. / 35 cm	3/8"	.050 / 1,3	52	501 85 53-52	504 57 44-52	S36/91VG
16 in. / 40 cm	3/8"	.050 / 1,3	56	501 85 53-56	504 57 44-56	S36/91VG
13 in. / 33 cm	.325"	.050 / 1,3	56	508 92 63-56	504 57 37-56	S30/95VP
15 in. / 38 cm	.325"	.050 / 1,3	64	508 92 63-64	504 57 37-64	S30/95VP
16 in. / 40 cm	.325"	.050 / 1,3	66	508 92 63-66	504 57 37-66	S30/95VP



S36/91VG  
S30/95VP




5/32" / 4,0  
3/16" / 4,8



-  
504 98 16-74



505 69 81-14  
-



505 69 81-03  
-

# 2041, 2045 2050

# Jonsered

Bar Mounting: small SMS (095)

Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
13 in. / 33 cm	.325"	.050 / 1,3	56	508 92 63-56	504 57 37-56	S30/95VP
15 in. / 38 cm	.325"	.050 / 1,3	64	508 92 63-64	504 57 37-64	S30/95VP
16 in. / 40 cm	.325"	.050 / 1,3	66	508 92 63-66	504 57 37-66	S30/95VP
18 in. / 45 cm	.325"	.050 / 1,3	72	508 92 63-72	504 57 37-72	S30/95VP
13 in. / 33 cm	.325"	.058 / 1,5	56	508 91 23-56	504 57 01-56	S25/21BP
15 in. / 38 cm	.325"	.058 / 1,5	64	508 91 23-64	504 57 01-64	S25/21BP
16 in. / 40 cm	.325"	.058 / 1,5	66	508 91 23-66	504 57 01-66	S25/21BP
18 in. / 45 cm	.325"	.058 / 1,5	72	508 91 23-72	504 57 01-72	S25/21BP



S30/95VP  
S25/21BP




3/16" / 4,8  
3/16" / 4,8



504 98 16-74  
504 98 16-75



-  
505 69 81-10






-  
505 69 81-00

# CS 2141, CS 2145 CS 2150

# Jonsered

Bar Mounting: small SMS (095)

Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
13 in. / 33 cm	.325"	.050 / 1,3	56	508 92 63-56	504 57 37-56	S30/95VP
15 in. / 38 cm	.325"	.050 / 1,3	64	508 92 63-64	504 57 37-64	S30/95VP
16 in. / 40 cm	.325"	.050 / 1,3	66	508 92 63-66	504 57 37-66	S30/95VP
18 in. / 45 cm	.325"	.050 / 1,3	72	508 92 63-72	504 57 37-72	S30/95VP
13 in. / 33 cm	.325"	.058 / 1,5	56	508 91 23-56	504 57 01-56	S25/21BP
15 in. / 38 cm	.325"	.058 / 1,5	64	508 91 23-64	504 57 01-64	S25/21BP
16 in. / 40 cm	.325"	.058 / 1,5	66	508 91 23-66	504 57 01-66	S25/21BP
18 in. / 45 cm	.325"	.058 / 1,5	72	508 91 23-72	504 57 01-72	S25/21BP



S30/95VP	3/16" / 4,8	504 98 16-74	-	-
S25/21BP	3/16" / 4,8	504 98 16-75	505 69 81-10	505 69 81-00



# CS 2147, CS 2149 CS 2152, CS 2156 **Jonsered**

Bar Mounting: small SMS (095)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
13 in. / 33 cm	.325"	.050 / 1,3	56	508 92 63-56	504 57 37-56	S30/95VP
15 in. / 38 cm	.325"	.050 / 1,3	64	508 92 63-64	504 57 37-64	S30/95VP
16 in. / 40 cm	.325"	.050 / 1,3	66	508 92 63-66	504 57 37-66	S30/95VP
18 in. / 45 cm	.325"	.050 / 1,3	72	508 92 63-72	504 57 37-72	S30/95VP
20 in. / 50 cm	.325"	.050 / 1,3	80	508 92 63-80	504 57 37-80	S30/95VP
13 in. / 33 cm	.325"	.058 / 1,5	56	508 91 23-56	504 57 01-56	S25/21BP
15 in. / 38 cm	.325"	.058 / 1,5	64	508 91 23-64	504 57 01-64	S25/21BP
16 in. / 40 cm	.325"	.058 / 1,5	66	508 91 23-66	504 57 01-66	S25/21BP
18 in. / 45 cm	.325"	.058 / 1,5	72	508 91 23-72	504 57 01-72	S25/21BP
20 in. / 50 cm	.325"	.058 / 1,5	80	508 91 23-80	504 57 01-80	S25/21BP



S30/95VP  
S25/21BP




3/16" / 4,8  
3/16" / 4,8



504 98 16-74  
504 98 16-75



-  
505 69 81-10





-  
505 69 81-00

# 2054 2055

# Jonsered

Bar Mounting: small SMS (095)

Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
13 in. / 33 cm	.325"	.050 / 1,3	56	508 92 63-56	504 57 37-56	S30/95VP
15 in. / 38 cm	.325"	.050 / 1,3	64	508 92 63-64	504 57 37-64	S30/95VP
16 in. / 40 cm	.325"	.050 / 1,3	66	508 92 63-66	504 57 37-66	S30/95VP
18 in. / 45 cm	.325"	.050 / 1,3	72	508 92 63-72	504 57 37-72	S30/95VP
20 in. / 50 cm	.325"	.050 / 1,3	80	508 92 63-80	504 57 37-80	S30/95VP
13 in. / 33 cm	.325"	.058 / 1,5	56	508 91 23-56	504 57 01-56	S25/21BP
15 in. / 38 cm	.325"	.058 / 1,5	64	508 91 23-64	504 57 01-64	S25/21BP
16 in. / 40 cm	.325"	.058 / 1,5	66	508 91 23-66	504 57 01-66	S25/21BP
18 in. / 45 cm	.325"	.058 / 1,5	72	508 91 23-72	504 57 01-72	S25/21BP
20 in. / 50 cm	.325"	.058 / 1,5	80	508 91 23-80	504 57 01-80	S25/21BP
<b>RSN = Replaceable sprocket nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 78-68	504 57 03-68	S42/73LP



S30/95VP	3/16" / 4,8	504 98 16-74	-	-
S25/21BP	3/16" / 4,8	504 98 16-75	505 69 81-10	505 69 81-00
S42/73LP	7/32" / 5,5	505 69 81-07	504 98 16-44	505 69 81-01

# CS 2159 CS 2163



Bar Mounting: small SMS (095)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
13 in. / 33 cm	.325"	.058 / 1,5	56	508 91 23-56	504 57 01-56	S25/21BP
15 in. / 38 cm	.325"	.058 / 1,5	64	508 91 23-64	504 57 01-64	S25/21BP
16 in. / 40 cm	.325"	.058 / 1,5	66	508 91 23-66	504 57 01-66	S25/21BP
18 in. / 45 cm	.325"	.058 / 1,5	72	508 91 23-72	504 57 01-72	S25/21BP
20 in. / 50 cm	.325"	.058 / 1,5	80	508 91 23-80	504 57 01-80	S25/21BP
15 in. / 38 cm	3/8"	.058 / 1,5	56	508 91 43-56	504 57 03-56	S42/73LP
16 in. / 40 cm	3/8"	.058 / 1,5	60	508 91 43-60	504 57 03-60	S42/73LP
18 in. / 45 cm	3/8"	.058 / 1,5	68	508 91 43-68	504 57 03-68	S42/73LP
<b>RSN = Replaceable sprocket nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 78-68	504 57 03-68	S42/73LP



S25/21BP  
S42/73LP




3/16" / 4,8  
7/32" / 5,5



504 98 16-75  
505 69 81-07



505 69 81-10  
504 98 16-44



505 69 81-00  
505 69 81-01

# CS 2165

# CS 2171



Bar Mounting: Big SMS (009)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
15 in. / 38 cm	3/8"	.058 / 1,5	56	508 91 33-56	504 57 03-56	S42/73LP
16 in. / 40 cm	3/8"	.058 / 1,5	60	508 91 33-60	504 57 03-60	S42/73LP
18 in. / 45 cm	3/8"	.058 / 1,5	68	508 91 33-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 61-72	504 57 03-72	S42/73LP
<b>RSN = Replaceable sprocket nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 70-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 70-72	504 57 03-72	S42/73LP
24 in. / 60 cm	3/8"	.058 / 1,5	84	501 95 70-84	504 57 03-84	S42/73LP
28 in. / 70 cm	3/8"	.058 / 1,5	92	501 95 70-92	504 57 03-92	S42/73LP
<b>HN = Hard nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 68-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 68-72	504 57 03-72	S42/73LP
24 in. / 60 cm	3/8"	.058 / 1,5	84	501 95 68-84	504 57 03-84	S42/73LP
28 in. / 70 cm	3/8"	.058 / 1,5	92	501 95 68-92	504 57 03-92	S42/73LP



S42/73LP




7/32" / 5,5



505 69 81-07



504 98 16-44



505 69 81-01

# 2077 2083

# Jonsered

Bar Mounting: Big SMS (009)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
15 in. / 38 cm	3/8"	.058 / 1,5	56	508 91 33-56	504 57 03-56	S42/73LP
16 in. / 40 cm	3/8"	.058 / 1,5	60	508 91 33-60	504 57 03-60	S42/73LP
18 in. / 45 cm	3/8"	.058 / 1,5	68	508 91 33-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 61-72	504 57 03-72	S42/73LP
<b>RSN = Replaceable sprocket nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 70-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 70-72	504 57 03-72	S42/73LP
24 in. / 60 cm	3/8"	.058 / 1,5	84	501 95 70-84	504 57 03-84	S42/73LP
28 in. / 70 cm	3/8"	.058 / 1,5	92	501 95 70-92	504 57 03-92	S42/73LP
<b>HN = Hard nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 68-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 68-72	504 57 03-72	S42/73LP
24 in. / 60 cm	3/8"	.058 / 1,5	84	501 95 68-84	504 57 03-84	S42/73LP
28 in. / 70 cm	3/8"	.058 / 1,5	92	501 95 68-92	504 57 03-92	S42/73LP



S42/73LP




7/32" / 5,5



505 69 81-07



504 98 16-44



505 69 81-01

## Bar Mounting: Big SMS (009)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
15 in. / 38 cm	3/8"	.058 / 1,5	56	508 91 33-56	504 57 03-56	S42/73LP
16 in. / 40 cm	3/8"	.058 / 1,5	60	508 91 33-60	504 57 03-60	S42/73LP
18 in. / 45 cm	3/8"	.058 / 1,5	68	508 91 33-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 61-72	504 57 03-72	S42/73LP
<b>RSN = Replaceable sprocket nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 70-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 70-72	504 57 03-72	S42/73LP
24 in. / 60 cm	3/8"	.058 / 1,5	84	501 95 70-84	504 57 03-84	S42/73LP
28 in. / 70 cm	3/8"	.058 / 1,5	92	501 95 70-92	504 57 03-92	S42/73LP
<b>HN = Hard nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 68-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 68-72	504 57 03-72	S42/73LP
24 in. / 60 cm	3/8"	.058 / 1,5	84	501 95 68-84	504 57 03-84	S42/73LP
28 in. / 70 cm	3/8"	.058 / 1,5	92	501 95 68-92	504 57 03-92	S42/73LP
30 in. / 75 cm S64/27	.404"	.063 / 1,6	92	501 95 82-92	504 57 06-92	S64/27



S42/73LP  
S64/27




7/32" / 5,5  
7/32" / 5,5



505 69 81-07  
-




504 98 16-44  
505 69 81-15



505 69 81-01  
505 69 81-02

## Bar Mounting: Big SMS (009)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
15 in. / 38 cm	3/8"	.058 / 1,5	56	508 91 33-56	504 57 03-56	S42/73LP
16 in. / 40 cm	3/8"	.058 / 1,5	60	508 91 33-60	504 57 03-60	S42/73LP
18 in. / 45 cm	3/8"	.058 / 1,5	68	508 91 33-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 61-72	504 57 03-72	S42/73LP
<b>RSN = Replaceable sprocket nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 70-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 70-72	504 57 03-72	S42/73LP
24 in. / 60 cm	3/8"	.058 / 1,5	84	501 95 70-84	504 57 03-84	S42/73LP
28 in. / 70 cm	3/8"	.058 / 1,5	92	501 95 70-92	504 57 03-92	S42/73LP
<b>HN = Hard nose, solid bar</b>						
18 in. / 45 cm	3/8"	.058 / 1,5	68	501 95 68-68	504 57 03-68	S42/73LP
20 in. / 50 cm	3/8"	.058 / 1,5	72	501 95 68-72	504 57 03-72	S42/73LP
24 in. / 60 cm	3/8"	.058 / 1,5	84	501 95 68-84	504 57 03-84	S42/73LP
28 in. / 70 cm	3/8"	.058 / 1,5	92	501 95 68-92	504 57 03-92	S42/73LP
30 in. / 75 cm	.404"	.063 / 1,6	92	501 95 82-92	504 57 06-92	S64/27
36 in. / 90 cm	.404"	.063 / 1,6	104	501 95 82-04	504 57 06-04	S64/27



S42/73LP  
S64/27




7/32" / 5,5  
7/32" / 5,5



505 69 81-07  
-



504 98 16-44  
505 69 81-15



505 69 81-01  
505 69 81-02

# SM 2186 SM 2055 E



Bar Mounting: Big SMS (009)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
16 in. / 40 cm	3/8"	.050 / 1,3	60	508 60 01-62	508 60 90-60	
20 in. / 50 cm	3/8"	.050 / 1,3	72	508 60 02-02	508 60 90-72	
16 in. / 40 cm	.325"	.050 / 1,3	67	501 95 91-67	503 30 70-67	-/95R
20 in. / 50 cm	.325"	.050 / 1,3	81	501 95 91-81	503 30 70-81	-/95R



-/95R




3/16" / 4,8



-



504 98 16-78



-



# 600+ 600+ EL

# Jonsered

Bar Mounting: Big SMS (009)


Bar length inches/cm	Chain pitch inches	Gauge inches/mm	Drive links	Bar part number	Chain part number	Chain type Jonsered/ Oregon
<b>SN = Sprocket nose, laminated bar</b>						
16 in. / 40 cm	3/8"	.050 / 1,3	60	508 60 01-62	508 60 90-60	
20 in. / 50 cm	3/8"	.050 / 1,3	72	508 60 02-02	508 60 90-72	
16 in. / 40 cm	.325"	.050 / 1,3	67	501 95 91-67	503 30 70-67	-/95R
20 in. / 50 cm	.325"	.050 / 1,3	81	501 95 91-81	503 30 70-81	-/95R



-/95R




3/16" / 4,8



-



504 98 16-78



-

# BAR GUARD

# Jonsered

---

Made from impact-resistant plastic.

13" - 16" Order no. 501 83 44-02

18" - 22" Order no. 501 83 44-05

24" - 28" Order no. 501 83 45-02

---

Starter cord made off tough polyester/cotton cord.

	Order no.
100 m x 3,0 mm	531 00 38-75
100 m x 3,5 mm	531 00 38-76
100 m x 4,0 mm	531 00 38-77
100 m x 4,5 mm	531 00 38-78

---

# Nose Sprocket **Jonsered**

---

Type of Sprocket	Bar type	Chain pitch inches	Gauge inches/mm	Part number
SN	EM10T	.325"	.050" / 1,3	501 85 10-05
SN	EM10T	.325"	.058" / 1,5	501 85 10-01
SN	Oregon10T	.325"	.058" / 1,5	501 95 72-01
SN	EM10T	3/8"	.058" / 1,5	501 85 10-02
SN	Oregon11T	3/8"	.058" / 1,5	501 95 74-01
RSN	Oregon11T	3/8"	.058" / 1,5	501 95 75-01

SN = Sprocket nose, laminated bar

RSN = Replaceable sprocket nose, solid bar

# Chain Parts



Chain Type inches	Chain pitch	Gauge inches/mm left	Cutter link right	Cutter link
S36 /91VG	3/8"	.050" /1,3	501 71 77-01	501 71 76-01
S30 /95VP	.325"	.050" /1,3	501 84 75-04	501 84 76-04
S25 /21BP	.325"	.058" /1,5	501 84 75-03	501 84 76-03
S42 /73LP	3/8"	.058" /1,5	501 84 91-01	501 84 92-01
S64 /27	.404"	.063" /1,6	505 36 60-20	505 36 60-10



Chain Type	Chain pitch inches	Gauge inches/mm	Tie link with rivet	Tie link without rivet
S36 /91VG	3/8"	.050" /1,3	501 84 81-05	501 84 78-05
S30 /95VP	.325"	.050" /1,3	501 84 80-08	501 84 77-07
S25 /21BP	.325"	.058" /1,5	501 84 80-05	501 84 77-03
S42 /73LP	3/8"	.058" /1,5	501 84 81-04	501 84 78-04
S64 /27	.404"	.063" /1,6	501 84 82-02	501 84 79-02



Chain Type	Chain pitch inches	Gauge inches/mm	Drive link	Bumber drive link
S36 /91VG	3/8"	.050" /1,3	501 84 84-03	-
S30 /95VP	.325"	.050" /1,3	501 84 83-05	501 84 93-03
S25 /21BP	.325"	.058" /1,5	501 84 83-04	501 84 93-02
S42 /73LP	3/8"	.058" /1,5	501 84 84-05	501 84 86-02
S64 /27	.404"	.063" /1,6	501 84 85-01	501 84 87-01



# Model History



---

Old Model	Please use bar and chain combination for model
370, 380	—————▶ 2036,2040
45, 451, 452	—————▶ 2054, 2055
450, 455	—————▶ 2054, 2055
490, 590	—————▶ 2054, 2055
520, 525, 535	—————▶ 2054, 2055
625, 630, 670	—————▶ 2165,2171
2065, 2071	—————▶ 2165, 2171
2094	—————▶ 2095

---